



3246 Francis Hughes, LAVAL, H7L 5A7 QC, CANADA 1800 476 1817 | zinker@zinkercanada.com | zinkercanada.com

Safety Data Sheet (SDS)

LIQUID

Version 1.1 Revision Data 01.06.2021 Print Date 01.06.2021

Salety Data Sheet (3DS)

In accordance with Regulation (EC) No. 1907/2006 (REACH) as amended by 453/2010/EC In accordance with CCOHS Regulation (Canadian Centre for Educational Health and Safety).

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1. Product identifier

Trade / technical name: Galvanizing agent "Zinker"

Synonyms: None

1.2. Relevant identified uses of the substance or mixture and uses advised against

Designed for corrosion protection of exterior and interior surfaces of industrial equipment and metal structures. The composition is used as a primer before applying decorative coatings, as well as an independent anti-corrosion coating to ensure the long-term protection of steel structures in the atmosphere, in aqueous solutions and soil, and to repair zinc coatings.

The composition can be used in industrial and civil construction, transport construction, oil and gas complex, energy, railway facilities, port and hydraulic facilities, vehicles. The coating on the basis of the composition is designed to work in the temperature range from minus 60 °C to plus 150 °C (short-term to plus 180-210 °C when applying powder coatings) in atmospheric conditions of all macroclimatic areas, atmosphere types and placement categories.

1.3. Details of the supplier of the safety data sheet

Manufacturer: NPCAZ LLC

Address: 111622, Moscow, st. Bolshaya Kosinskaya, h. 27 Tel / Fax: +7 (495) 507-53-61

E-mail: info@npcaz.ru

1.4. Emergency telephone number:

Emergency Contact Line: Canada, USA: 911, European Community, Russia: 112

SECTION 2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification	
Hazards	According to Regulation (EC) No. 1272/2008 (CLP)
Humans:	Flam. Liq. 3, Skin Irrit. 2, Eye Irrit. 2, Repr. Tox. 1B
Environment:	Aquatic Acute 1, Aquatic Chronic 1.

2.2. Label elements (label according to Regulation (EC) No. 1272/2008 as amended)

Pictogram:









Signal word: Danger

Hazard statements:

H226: Flammable liquid and vapour. H315: Causes skin irritation.

H319: Cause serious eye irritation.

H360: May adversely affect fertility or an unborn baby.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary statements:

P210: Keep away from heat, sparks, open flames and hot surfaces. No smoking.

P280: Wear protective gloves, protective clothing and eye protection.

P201+P202: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

P303+P361+P353: **IF ON SKIN (or hair)**: Remove immediately all contaminated clothing. Rinse skin with water or shower.

P403+p235: Store in a well-ventilated place. Keep cool.

2.3. Other hazards

Physical hazards: Not classified for physical hazards.

Specific hazards: Not available.

Main symptoms: See Sections 11 of the MSDS

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.1. Substances

IUPAC Name: none

3.2. Mixtures

Chemical Name	Weight, %	CAS No.	EC No.	Hazard Statement (GHS)*
Xylene	27	1330-20-7	215-535-7	H226, H312, H332,H315
Zinc	69	7440-66-6	231-175-3	H410
Butvar B-98	4	63148-65-2	613-158-6	Not classified

^{*} The full text of the H-phrases indicated in Section 16.

SECTION 4. FIRST-AID MEASURES

4.1. Description of first aid measures

General advice:

Consult a physician. Show this safety data sheet to the doctor in attendance.

Inhalation:

If breathed in, move person into fresh air, provide peace and warmth.

Skin contact:

Wash off with soap and plenty of water. Seek medical attention if necessary.

Eye contact:

Gently wash eyes with running water. Seek medical attention if necessary.

Ingestion:

Rinse the mouth with water; drink plenty of water, activated carbon, saline laxative. Never give anything by mouth to an unconscious person. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed.

Excitement followed by drowsiness, headache, dizziness, intoxication, coughing, sore throat, nausea, vomiting.

SECTION 5. FIRE-FIGHTING MEASURES

General fire hazards: Flammable liquid.

5.1. Extinguishing media

Suitable extinguishing media: Sand, finely dispersed water, chemical or air-mechanical foam from stationary installations or fire extinguishers.

Unsuitable extinguishing media: Compact jets of water.

5.2. Special hazards arising from the substance or mixture

Combustion products: Carbon oxides.

5.3. Advice for fire fighters

Special precautions for firefighters: Small fires should be extinguished with sand, a dry powder extinguisher or carbon dioxide extinguisher; large fires should be extinguished with a foam jet from a maximum distance. If possible, remove containers with product from fire area.

Special protective equipment for firefighters: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures.

The use of personal protection measures is recommended - see Section 8 of the MSDS.

Contact emergency services where appropriate. Use personal protective equipment. Clear area of all unprotected personnel; do not smoke.

6.2. Environmental precautions.

Sealing equipment and packaging. Observe the technological mode.

6.3. Methods and material for containment and cleaning up.

Eliminate leakage with caution. Siphon the contents into a working dry container. Protect the straits with an earthen rampart, fill it with inert material, collect and send for disposal or burial.

6.4. Reference to other sections

See also Sections 8 and 13 of the MSDS.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

General Precautions:

Provide appropriate exhaust ventilation. Before use carefully read the product label. Use of safe work practices. Observe good personal hygiene, including washing hands before eating. For precautions, see section 2.2, 2.3.

7.2. Conditions for safe storage, including any incompatibilities.

Store in closed warehouse ventilated rooms or under awnings at a temperature of minus 40 to plus 30 °C in containers with tightly closed lids to prevent moisture, dust and other contaminants.

7.3. Specific end use(s)

None.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

Xylene: 100 ppm as an 8-hour TWA (OSHA PEL).

8.2. Exposure controls Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Use safety glasses if necessary. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

Body Protection

Type of protective clothing must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection is not required. In emergency situations use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Environmental controls: Not required. Thermal hazards: Not applicable.

Hygiene measures: Wash hands after handling. Routinely wash work clothing and protective equipment to remove contaminants. Handle in accordance with good industrial hygiene and safety practices. Follow upon any medical surveillance requirements.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance: Liquid	
Color:	
Ddour:Specific	
PH:Not available	
Melting point/freezing point: Not available	
nitial boiling point and boiling range:Not available	
Flash point:	
Evaporation rate:	
Flammability (solid, gas):	
Burning time:	
Jpper/lower Flammability or explosive limits: Not available	
/apour pressure:	
/apour density:Not available	
Density: Not available	
Solubility(ies) :	er
Partition coefficient (n-octanol/water) : Not available	
Self-ignition temperature:	
Decomposition temperature:	
/iscosity:	
Explosive properties:	
Oxidizing propertiesNone	

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

The products are stable under normal conditions of transportation and storage.

10.3. Possibility of hazardous reactions

Under normal conditions hazardous reactions will not occur.

10.4. Conditions to avoid

Avoid overheating, sparks, open flame.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

11.1. Effect of Acute Exposure

Acute Toxicity

 $DL_{50} > 5000 \text{ mg/kg, rat - Oral}$

 $CL_{50} > 10000 \text{ mg/m}^3$, rat, 4 h - Inhalation

 $DL_{50} > 10000 \text{ mg/kg, rabbit - Dermal}$

Component	DL ₅₀ , Oral	CL ₅₀ , Inhalation	DL ₅₀ , Dermal
Xylene	3523 mg/kg, rat	6700 ppm, rat, 4 h	12126 mg/kg, rabbit
Zinc	> 2000 mg/kg, rat	> 5410 mg/m³ air, rat	-
Butvar B-98	-	-	-

Eyes and skin irritation

Causes skin irritation. Cause serious eye irritation.

Respiratory or skin sensitization: Does not cause allergic reactions.

Specific target organ toxicity - Single exposure: None.

11.2. Effects of chronic exposure

Repeated dose toxicity: Not available.

Specific target organ toxicity - Repeated exposure: None.

Carcinogenicity: Not classified. Mutagenicity: Not classified.

Reproductive toxicity: May adversely affect fertility or an unborn baby (xylene).

Embriotoxicity: Not classified. Teratogenicity: Not classified.

SECTION 12. ECOLOGICAL INFORMATION

12.1. Aquatic Toxicity

Component	Short-term toxicity to fish	Long-term toxicity to fish	Short-term toxicity to aquatic invertebrates	Long-term toxicity to aquatic invertebrates
Xylene	LC50 = 8,4 mg/l, Oncorhynchus mykiss, 96 h	NOEC > 1,3 mg/l, Oncorhynchus mykiss, 56 d	IC50 = 4,7 mg/l, Daphnia magna, 24 h	NOEC = 1,17mg/l, Ceriodaphnia dubia, 7 d
Zinc	LC50 = 315 mg/l, Thymallus arcticus, 9 h	NOEC = 440 mg/l, Oncorhynchus mykiss, 72 d	LC50 = 1220 mg/l, Daphnia magna, 48 h	NOEC = 51 mg/l, Daphnia magna, 50 d
Butvar B-98	-	-	-	-

12.2. Persistence and degradability

Biotic: Biodegradation potential: not applicable. Activated sludge simulation test: not applicable.

Abiotic: Hydrolysis as pH function: does not occur Photolysis/phototransformation: does not occur

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvP assessment

Chemical assessment was not conducted.

12.6. Other adverse effects

Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1. Waste disposal

Product

Waste and spilled should be collected in a sealed container and disposed in accordance with local regulations.

Contaminated packaging

Dispose of in accordance with relevant local legislation.

SECTION 14. TRANSPORT INFORMATION

14.1. UN number

UN 1263

14.2. UN proper shipping name

Trade Name: Galvanizing agent "Zinker" ADR/RID: FLAMMABLE LIQUID, N.O.S. IMDG: FLAMMABLE LIQUID, N.O.S. IATA: FLAMMABLE LIQUID, N.O.S.

14.3. Transport hazard class(es)

Allowed transportation by all means of transport.

ADR/RID: 3 IMDG: 3 IATA: 3

14.4. Packing group

ADR/RID: III IMDG: III IATA: III

14.5. Label



14.6. Special precautions for user:

None

14.7. Others:

None

SECTION 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Not classified according to EEC Directives 67/548/EEC and 88/379/EEC.

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I: Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II: Not listed.

Regulation (EC) No. 850/2004 on persistent organic pollutants, Annex I as amended: Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended: Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended: Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended: Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended: Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry: Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA: Not listed.

Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization: Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended: Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work: Not regulated.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding: Not regulated.

Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances: Not regulated. Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work: Not listed.

Directive 94/33/EC on the protection of young people at work: Not listed.

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended and respective national laws implementing EU directives. This Safety Data Sheet complies with the requirements of Regulation (EC) No.1907/2006. National regulations Follow national regulation for work with chemical agents.

15.2. Chemical safety assessment

Chemical safety assessment for this substance was not carried out.

SECTION 16. OTHER INFORMATION

Abbreviations and acronyms in the Safety Data Sheet

ACGIH = American Conference of Governmental Industrial Hygienists

CAS = Chemical Abstracts Service

vPvB = very Persistent, very Bioaccumulative (substance) PBT = Persistent, Bioaccumulative and Toxic (substance)

PNEC = Predicted No Effect Concentration

DN(M)EL = Derived No Effect Level

 LD_{50} = Dose that will kill 50% of test animals

LC₅₀= Concentration that will kill 50 % of test animals LL50 = Lethal Loading fifty

 EC_x = Concentration at which x% inhibition of growth or growth rate is observed

OECD = Organisation for Economic Co-operation and Development

REACH = Registration Evaluation And Authorisation Of Chemicals

RID = Regulations concerning International Carriage of Dangerous Goods by Rail

ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG = International Maritime Transport of Dangerous Goods

IATA = International Air Transport Association IARC = International Agency for Research on Cancer

UVCB = Unknown substances, of Variable Composition, or of Biological origin ECHA = European Chemicals Agency

EINECS = The European Inventory of Existing Commercial Chemical Substances

Basic literature references and data sources

- Regulation (EC) No. 1907/2006 (REACH) as amended by 453/2010/EC.
- Regulation (EC) No. 1272/2008 (CLP, EU GHS).

List of applicable H-phrases, P-phrases or warning statements not fully indicated in Sections 2-15 of this safety data sheet:

H312 Harmful in contact with skin

H332 Harmful if inhaled

Advice on training for employees:

Unspecified.

The above information is based on our current knowledge and experience. It is not a guarantee of any properties of the product or its quality specifications and it may not provide a basis for any complaint. The product should be transported, stored and used in compliance with applicable laws and regulations, good practices and the rules of occupational hygiene. The information presented is not applicable to mixtures of the product with other substances. The use of the information provided, as well as the use of the product, is not controlled by the manufacturer, and thus it is the User's obligation to create suitable conditions for safe handling of the product.

Users should be aware that we are not responsible for any incorrect use of our product other than as recommended by us.